

Famed ywiec reserves the right to change the prices in any moment within the validity of the Price-list.

The below price list is confidential and cannot be disclosed to other parties. The prices given are net prices, without installation, commissioning, training. Maintenance costs EXW ywiec, Poland (INCOTERMS 2020).

Price list

The new pricelist is valid from Jan 1st, 2023 until its cancellation or introduction of a new edition. Hereby, all pricelists issued with an earlier date expire.



www.famed.com.pl



+48 33 866 63 75



export@famed.com.pl

Product name	Туре	Unit price (EUR)
Operating table SU-02 /4 section table top/ T letter shape base and removable, seamless polyurethane mattresses	SU-02	7 795
Operating table SU-02 /5 section table top/T letter shape base and removable, seamless polyurethane mattresses	SU-02	8 145
Operating table SU-02 /6 section table top/T letter shape base and removable, seamless polyurethane mattresses	SU-02	9 235
Operating table SU-02 /4 section table top/ large wheels base and removable, seamless polyurethane mattresses	SU-02	8 010
Operating table SU-02 /5 section table top/large wheels base and removable, seamless polyurethane mattresses	SU-02	8 385
Operating table SU-02 /6 section table top/large wheels base and removable, seamless polyurethane mattresses	SU-02	9 550

	Basic Accessories		
	Dual - joint headrest (1pce) concerns operating table SU-02, SU-03, OPTIMA SU-05	SG-10.11	1 100
	Special head rest WS-45.5 (1 pce), for operating tables SU-02, SU-03 and SU-05 obligatory add WS-84.7, WS-84.8 for Hyperion operating table and WS-84.4 for FAMED OPTIMA SU-05.15	WS-45.5	930
	Specialized head rest (1 pce) concerns Hyperion, OPTIMA SU-05, SU-05.15, SU-03, SU-02 /for SU-02, SU-03, SU-05 obligatory add WS-84.7, WS-84.8 for Hyperion and WS-84.4 for FAMED OPTIMA SU-05.15/	WS-45.6	930
	Head rest / head pillow WS-69.0 (1 pce)	WS-69.0	85
To the state of th	Half roll WS-66.0 (1 pce)	WS-66.0	105
	half roll WS-68.0 (1 pce)	WS-68.0	80
	Bariatric surgery attachment (1 set) concerns operating tables SU-02, SU-03 and OPTIMA SU-05	AS-20.0	1 795
	Footrest with double abduction for operating tables SU-02, SU-03 and Optima SU-05	SG-43.1	1 680

	Leg plate (1 pce) concerns operating tables SU-02, SU-03 and OPTIMA SU-05	SG-42.6	1 050
	Transfer footrest (1 pce) concerns operating tables SU-02, SU-03, OPTIMA SU-05	AS-63.06	610
	Universal transfer footrest	AS-63.9	650
h	Foot supports (1 set, right and left) concerns operating table SU-02, SU-03 and OPTIMA SU-05.	AS-21.5	575
	Attachment for side rail WS-53.0 (1 pce) Length: 250 mm	WS-53.0	100
	Attachment for side rail (1 pce) Length: 490 mm	WS-53.1	200
OT V	Drip bottle holder WK-01.5 (1 pce) + WS-16.5 (1 pce)	WK-01.5	150
T	Drip bottle holder WK-01.5 (1 pce) + WS-17.6 (1 pce)	WK-01.5	160
270	Drip bottle holder with 4 hooks (1 pce) + WS-16.5 (1 pce)	WK-01.6	160

Anaesthetic frame WS-01.5 (1 pce) + WS-17.6 (1 pce)	WS-01.5	230
Anaesthetic frame equipped with width regulation WS-01.6 (1 pce) + WS-17.6 (1 pce)	WS-01.6	270
Holder for anaesthetic tubes WS-14.5 (1 pce) + WS-16.5 (1 pce)	WS-14.5	170
X-ray tray - seat section WS-11.7 (1 pce)	WS-11.7	120
X-ray tray - back section WS-19.7 (1 pce)	WS-19.7	150
Arm support / Arm rest PR-01.5 (1 pce) + WS-17.6 (1 pce)	PR-01.5	590
Arm support (1 pce) with gas spring adjustment concerns operating tables SU-02, SU-03, SU-05, FAMED OPTIMA SU-05.15	PR-01.6	1 000
FlexArm™ arm with contoured hand support (with quick - connector)	AS-70.4	1 510
FlexArm™ arm with contoured hand support (without quick - connector)	AS-70.42	1 380

	Angle support WS-07.5 (1 pce) + WS-16.5 (1 pce)	WS-07.5	1 000
1			
	Angle support AS-10.0 (1 pce) + WS-16.8 (1 pce)	AS-10.0	1 200
	Arm support (1 pce) +WS-17.8 (1 pce)	AS-15.0	690
	FlexArm™ arm with hand support and quick connector	AS-70.3	1 510
	FlexArm™ arm with hand support without quick connector	AS-70.31	1 380
	Right and left shoulder support WS-06.5 + WS-16.5 (2 pcs)	WS-06.5	390
	Large side support WS-08.5 (1 pce) + WS-16.5 (1 pce)	WS-08.5	240
	Buttock support (1 pce) + WS-17.6 (2 pcs)	AS-16.5	425
C	Pubic support WS-49.5 (1pce) + WS-17.7 (1 pce)	WS-49.5	480

	Side support WS-50.5 (1 pce) + WS-16.5 (1 pce)	WS-50.5	290
C A	Side support with lever WS-50.6 (1pce) + WS-16.5 (1 pce)	WS-50.6	480
C.	Chest support WS-52.5 (1 pce) + WS-16.5 (1 pce)	WS-52.5	250
	Side shoulder support WS-59.5 (2 pcs) + WS-16.5 (2 pcs)	WS-59.5	480
	Articulated arm with side support	AS-70.5	2 725
	FlexArm™ arm with side support without quick connector	AS-70.51	1 380
	Wristlet WS-34.5 (1 pce)	WS-34.5	100
	Abdominal strap WS-23.0 (1 pce)	WS-23.0	50
	Abdominal strap WS-41.0 (1 pce)	WS-41.0	120

	Leg strap WS-42.0 (1 pce)	WS-42.0	100
	Leg strap WS-42.1 (1 pce)	WS-42.1	50
	Thigh holder WS-44.0 (1 pce)	WS-44.0	100
	Thigh holder WS-44.1 (1 pce)	WS-44.1	50
	Hand holder WS-43.0 (1 pce) (hanged on the anaesthatic frame)	WS-43.0	90
	Instrument tray WS-15.5 (1 pce) + WS-16.5 (1 pce)	WS-15.5	260
	Side rails WS-32.5 (1 set)	WS-32.5	1 500
11-11	Mobile hanger for equipment WS-13.5 (1 pce)	WS-13.5	1 200
	Clamp mechanism CWS1605W1	WS-16.5	110

Multiposition clamp mechanism WS-17.6 (1 pce)	WS-17.6	160
Multiposition clamp mechanism WS-17.7 (1 pce)	WS-17.7	160
Gynaecology / Urology / Proctology		
Seat plate extension with cut out SG-44.6 (1 pce)	SG-44.6	685
Leg holders (2 pcs) +WS-17.6 (2 pcs)	WS-05.5	750
Leg holders with loops WS-64.5 (2 pcs) + WS-17.6 (2 pcs)	WS-64.5	525
KTEK Comfort 350 Stirrup with Velcro Straps Ergonomically designed stirrup boot, designed to provide pressure relief and support for a wide range of leg and calf sizes Durable and lightweight construction, featuring a flexible calf section Removable and reusable boot pad with 1" of memory foam to protect and relieve pressure on patient limbs Curved support spar that eliminates dangerous pinch hazards Lithotomy range of motion from -55 to +85 degree - 140 degree lithotomy range of motion The unique patend pending design provides 22 degree more lithotomy range of motion than traditional stirrups Patient weight capacity: 350 lbs (160 kg)	KTEK 3000	10 400
KTEK Comfort 500 Stirrup with Velcro Straps Ergonomically designed stirrup boot, designed to provide pressure relief and support for a wide range of leg and calf sizes Durable and lightweight construction, featuring a flexible calf section Removable and reusable boot pad with 1" of memory foam to protect and relieve pressure on patient limbs Curved support spar that eliminates dangerous pinch hazards Lithotomy range of motion from -55 to +85 degree - 140 degree lithotomy range of motion The unique patend pending design provides 22 degree more lithotomy range of motion than traditional stirrups Patient weight capacity: 500 lbs (227 kg)	KTEK 5000	11 100

	KTEK Blue 400 Stirrup with SECURE-LOK Straps Ergonomically designed stirrup boot, designed to provide pressure relief and support for a wide range of leg and calf sizes Durable and lightweight construction, featuring a flexible calf section Removable and reusable boot pad with 1" of memory foam to protect and relieve pressure on patient limbs Better infection control - SECURE-LOCK straps are designed from durable plastic to improve infection control Curved support spar that eliminates dangerous pinch hazards Lithotomy range of motion from -55 to +85 degree - 140 degree lithotomy range of motion The unique patend pending design provides 22 degree more lithotomy range of motion than traditional stirrups Patient weight capacity: 400 lbs (181 kg)	KTEK7100	11 380
	KYRA Pediatrics - KYRA Comfort Junior Stirrups The KYRA 250 is a junior stirrup designed for patients aged 6-12 years old but also effective in smaller/lighter adults weighing up to 250 lbs/113 kg. Equipped with easy to clean durable silicone straps. The non-finned boot has 3" of supportive boot padding and larger ankle well for more secure fit. Lithotomy Range: +85° to -55° Abduction Range: +25° to -9° Boot Rotational Angle: +/-25° KYRA 250 stirrup weight: 10.2 lbs/4.6 kg each	KTEK 7810	11 380
	Secure Release Blade Clamp EU Mounts anywhere on the table rail in one easy motion. Requires no awkward hand motions. Simply push the clamp against the side rail to place it. Push the release button to release the clamps. Mounts any blade accessory.	KTEK 4200	790
	Select Blade Rail Clamp EU/UK	KTEK 4610	540
OSTAN NATIONAL STATEMENT OF THE PROPERTY OF TH	Simple Blade Rail Clamp EU/UK	KTEK 4710	350
	KTEK Gray Stirrup Cart Easy to push or pull Premium casters helps it stay "on track" reducing stress and strain Designed to isolate each stirrup and prevent damage during transport Ergonomic handle with polished stainless steel tubes eliminates sharp edges Holds most stirrups With clamp storage compartment Cart dimensions: 22" (56cm) W x 23" (58cm) D x 42" (107cm) H - without stirrups 26" (66cm) W x 26" (66cm) D x 49" (124cm) H - with stirrups	KTEK 1000	1 890
	Gynaecological attachment WS-28.7 (1 pce)	WS-28.7	330

Gyneacological attachment mounted on the rail	WS-28.9	290
Urological attachment WS-29.7 (1 pce)	WS-29.7	290
Urological attachment	WS-28.9	390
Strainer for urological bowl WS-89.5 (1 pce)	WS-89.5	250
Bag holder WS-92.5 (1 pce) + WS-16.5 (1 pce)	WS-92.5	130
Kneeling frame WS-30.5 (1 pce) + WS-17.6 (2 pcs)	WS-30.5	750
Orthopaedics / Traumatology		
Upper limbs surgery positioner WS-87.5 (1 pce)	WS-87.5	190
Arm and hand carbon surgical table AS-69.0 (1 pce)	AS-69.0	2 750

	Arm and hand surgical table HPL AS-69	AS-69.1	1 250
	Accessory for humerus surgery (1 pce) + WS-17.7 (2 pcs) (Weinberger hand cuff)	WS-47.5	1 550
	Hip support WS-93.5 (1 pce)	WS-93.5	550
	Meniscotomy roll stabilizer WS-40.5 (1 pce) + WS-17.7 (1 pce)	WS-40.5	400
	Attachment for backward nailing WS-95.5 (1 pce)	WS-95.5	300
The same of the sa	Attachment for the leg abduction WS-96.5 (1 pce) + WS-17.6 (1 pce)	WS-96.5	720
	Attachment for positioning the knee joint (1 pce) + WS-17.7 (1 pce)	WS-39.5	690
4	Attachment for positioning the knee joint (1 pce) + WS-17.7 (1 pce)	AS-14.0	790
	A set of supports for side positioning AS-47.0 conserns operating tables SU-02, SU-03 and OPTIMA SU-05	AS-47.0	1 520

	Orthopaedic attachment with extension device SO-12 with WS-86.6 /1 set/ concerns SU-02, SU-03, SU-05 - (without additional equipment). Orthopaedic attachment SO-12 is made of stainless steel, consists of: length adjustable 2 rotary arms, 2 height adjustable stretching mechanisms, the triangle shaped seat, resistance roll	SO-12	6 500
	Orthopaedic attachment with carbon fiber arms SO-14 with WS-86.6 /1 set/concerns SU-02, SU-03, SU-05 - (without additional equipment). Orthopaedic attachment SO-14 is made of carbon fiber, consists of: length adjustable 2 rotary arms, 2 height adjustable stretching mechanisms, the triangle shaped seat, resistance roll	SO-14	12 500
	Orthopaedic attachment transport trolley (1 pce)	WS-80.7	1 300
	hip support WS-60.6 (1 pce)	WS-60.6	1 200
	Pelvis plaster support WS-70.6 (1 pce)	WS-70.6	460
	Leg support WS-71.5 (1 pce) + support grip WS-82.5 (1 pce)	WS-71.5	520
	Knee support WS-75.5 (1 pce) + support grip WS-82.5 (1 pce)	WS-75.5	555
THE STATE OF THE S	Attachment for knee operation WS-85.6 (1 pce)	WS-85.6	1 500
	Abduction holder for SO-14	WS-82.8	320

	Accessories adapter (1 pce)	WS-82.5	280
The state of the s			
T. T.	Heel holder WS-74.5 (2 pcs)	WS-74.5	250
	Abduction holder for SO-12	WS-82.7	320
	Support grip WS-82.6	WS-82.6	300
	Leather shoes for orthopaedic attachment / for adults/	BD	490
	Leather shoes for orthopaedic attachment /for children/	BOD	490
7 2 7 7	Stand for orthopaedic attachment WS-13.7 (1 pce)	WS-13.7	1 810
	Kneeling frame with supports for spinal surgery AS-65.0 (1 set)	AS-65.0	1 560
	Mattress for spinal surgery WS-65.0 (1 pce)	WS-65.0	310

	Filling mattress AS- 74.0 (1 pce) for spinal surgery mattress WS-65.0	AS-74.0	150
	Neurosurgery / Laryngology / Ophthalmalogy		
Francis	Adaptator for mouting specialized head rest WS-84.7 (1 pce)	WS-84.7	250
	Horseshoe headrest WS-21.11 (1 pce) /for SU-02, SU-03, SU-05 obligatory add WS-84.7, for HYPERION WS-84.8 and for FAMED OPTIMA SU-05.15 WS-84.4/	WS-21.11	600
	Aluminium headrest WS-21.4 (1 pce) /for operating tables SU-02, SU-03, SU-05 obligatory add WS-84.7, for HYPERION WS-84.8 and for Famed OPTIMA SU-05.15 WS-84.4/	WS-21.4	700
	Horseshoe headrest WS-21.5 (1 pce) /for SU-02, SU-03, SU-05 obligatory add WS-84.7, for HYPERION WS-84.8 and for FAMED OPTIMA SU-05.15 WS-84.4/	WS-21.5	700
	Adjustable headrest with track adjustment WS-21.9 (1 pce) /for SU-02, SU-03, SU-05 obligatory add WS-84.7, for HYPERION WS-84.8 and for FAMED OPTIMA SU-05.15 WS-84.4/	WS-21.9	700
	Hands support WS-22.5 (1 pce) + WS-17.6 (2 pcs)	W\$-22.5	500
	Headrest for cervical spine surgery (1 pce)	WS-21.8	1 350

=	FlexArm™ arm with headrest	AS-70.2	1 820
F			
March			
	Handle/Traction pulley (1 pce)	WS-88.5	250
	Opthalmology table top (1 pce)	AS-72.0	2 100