

Famed ywiec reserves the right to change the prices in any moment within the validity of the Price-list.

The below price list is confidential and cannot be disclosed to other parties. The prices given are net prices, without installation, commissioning, training. Maintenance costs EXW ywiec, Poland (INCOTERMS 2020).

## **Price list**

The new pricelist is valid from Jan 1st, 2023 until its cancellation or introduction of a new edition. Hereby, all pricelists issued with an earlier date expire.



Product name	Туре	Unit price (EUR)
<ul> <li>Treatment table type SU-14</li> <li>The table is made of carbon steel covered with powder lacquer, polyester-epoxy type. Operating table base is equipped with plastic cover.</li> <li>Movable operating table base is equipped with diameter 150 mm wheels activated by central blockade lever.</li> <li>Removable table top segment mattresses are made of polyurethane foam covered with artificial leather resistant to disinfectant agents.</li> <li>Table top segments are X-ray permeassible.</li> <li>Divided leg use rest segments with possibility of tilt angle and aside adjustment</li> <li>Functions and drives</li> <li>Table top height adjustment, lateral tilts, Trendelenburg and reverse Trendelenburg tilts and the table top levelling are performed thanks to wire hand controller by the use of electro-mechanic drive system powered by 24 V batteries</li> <li>The back rest segment, head rest segment and leg rest segment adjustment is manually performed by gas springs with blockades</li> <li>Control system using the wire controller makes possible program arrangement and operating table setting up with table top at three charged positions (for example at horizontal position)</li> </ul>	SU-14	8 870
Head rest / head pillow WS-69.0 (1 pce)	WS-69.0	85
Half roll WS-66.0 (1 pce)	WS-66.0	105
half roll WS-68.0 (1 pce )	WS-68.0	80

	Leg plate (1 pce) concerns operating table SU-14	AS-35	1 030
	Universal transfer footrest	AS-63.9	650
n	Foot supports (1 set, right and left) concerns operating table SU-02, SU-03 and OPTIMA SU-05.	AS-21.5	575
	Pediatric attachment	AS-71.0	1 700
	Attachment for side rail WS-53.0 (1 pce) Length: 250 mm	WS-53.0	100
	Attachment for side rail (1 pce) Length: 490 mm	WS-53.1	200
o Tu	Drip bottle holder WK-01.5 (1 pce) + WS-16.5 (1 pce)	WK-01.5	150
o v	Drip bottle holder WK-01.5 (1 pce) + WS-17.6 (1 pce)	WK-01.5	160
e tre	Drip bottle holder with 4 hooks (1 pce) + WS-16.5 (1 pce)	WK-01.6	160

	Anaesthetic frame WS-01.5 (1 pce) + WS-17.6 (1 pce)	WS-01.5	230
	Anaesthetic frame equipped with width regulation WS-01.6 (1 pce) + WS-17.6 (1 pce)	WS-01.6	270
A A A A A A A A A A A A A A A A A A A	Holder for anaesthetic tubes WS-14.5 (1 pce) + WS-16.5 (1 pce)	WS-14.5	170
			130
	Arm support / Arm rest PR-01.5 (1 pce) + WS-17.6 (1 pce)	PR-01.5	590
	Arm support (1 pce) with gas spring adjustment concerns operating tables SU-02, SU-03, SU-05, FAMED OPTIMA SU-05.15	PR-01.6	1 000
	FlexArm <sup>™</sup> arm with contoured hand support (with quick - connector)	AS-70.4	1 510
	FlexArm <sup>™</sup> arm with contoured hand support (without quick - connector)	AS-70.42	1 380
	Angle support WS-07.5 (1 pce) + WS-16.5 (1 pce)	WS-07.5	1 000

	Angle support AS-10.0 (1 pce) + WS-16.8 (1 pce)	AS-10.0	1 200
	Arm support (1 pce) +WS-17.8 (1 pce)	AS-15.0	690
	FlexArm <sup>™</sup> arm with hand support and quick connector	AS-70.3	1 510
	FlexArm <sup>™</sup> arm with hand support without quick connector	AS-70.31	1 380
······································	Right and left shoulder support WS-06.5 + WS-16.5 (2 pcs)	WS-06.5	390
	Large side support WS-08.5 (1 pce) + WS-16.5 (1 pce)	WS-08.5	240
	Pubic support WS-49.5 (1pce) + WS-17.7 (1 pce)	WS-49.5	480
	Side support WS-50.5 (1 pce) + WS-16.5 (1 pce)	WS-50.5	290
E .	Side support with lever WS-50.6 (1pce) + WS-16.5 (1 pce)	WS-50.6	480

C	Chest support WS-52.5 (1 pce) + WS-16.5 (1 pce)	WS-52.5	250
	Side shoulder support WS-59.5 (2 pcs) + WS-16.5 (2 pcs)	WS-59.5	480
	FlexArm <sup>™</sup> arm with side support and quick connector	AS-70.5	1 510
	FlexArm <sup>™</sup> arm with side support without quick connector	AS-70.51	1 380
	Wristlet WS-34.5 (1 pce)	WS-34.5	100
	Abdominal strap WS-23.0 (1 pce)	WS-23.0	50
	Abdominal strap WS-41.0 (1 pce)	WS-41.0	120
	Leg strap WS-42.0 (1 pce)	WS-42.0	100
	Leg strap WS-42.1 (1 pce)	WS-42.1	50

	Thigh holder WS-44.0 (1 pce)	WS-44.0	100
	Thigh holder WS-44.1 (1 pce)	WS-44.1	50
	Hand holder WS-43.0 (1 pce) (hanged on the anaesthatic frame)	WS-43.0	90
	Instrument tray WS-15.5 (1 pce) + WS-16.5 (1 pce)	WS-15.5	260
BB	Side rails WS-32.5 (1 set)	WS-32.5	1 500
TT.	Mobile hanger for equipment WS-13.5 (1 pce)	WS-13.5	1 200
	Clamp mechanism CWS1605W1	WS-16.5	110
	Multiposition clamp mechanism WS-17.6 (1 pce)	WS-17.6	160
	Multiposition clamp mechanism WS-17.7 (1 pce)	WS-17.7	160

Gynaecology / Urology / Proctology		
Leg holders (2 pcs) +WS-17.6 (2 pcs)	WS-05.5	750
Leg holders with loops WS-64.5 (2 pcs) + WS-17.6 (2 pcs)	WS-64.5	525
KTEK Comfort 350 Stirrup with Velcro Straps Ergonomically designed stirrup boot, designed to provide pressure relief and support for a wide range of leg and calf sizes Durable and lightweight construction, featuring a flexible calf section Removable and reusable boot pad with 1" of memory foam to protect and relieve pressure on patient limbs Curved support spar that eliminates dangerous pinch hazards Lithotomy range of motion from -55 to +85 degree - 140 degree lithotomy range of motion The unique patend pending design provides 22 degree more lithotomy range of motion than traditional stirrups Patient weight capacity: 350 lbs (160 kg)	KTEK 3000	10 400
KTEK Comfort 500 Stirrup with Velcro Straps Ergonomically designed stirrup boot, designed to provide pressure relief and support for a wide range of leg and calf sizes Durable and lightweight construction, featuring a flexible calf section Removable and reusable boot pad with 1" of memory foam to protect and relieve pressure on patient limbs Curved support spar that eliminates dangerous pinch hazards Lithotomy range of motion from -55 to +85 degree - 140 degree lithotomy range of motion The unique patend pending design provides 22 degree more lithotomy range of motion than traditional stirrups Patient weight capacity: 500 lbs (227 kg)	KTEK 5000	11 100
KTEK Blue 400 Stirrup with SECURE-LOK Straps Ergonomically designed stirrup boot, designed to provide pressure relief and support for a wide range of leg and calf sizes Durable and lightweight construction, featuring a flexible calf section Removable and reusable boot pad with 1" of memory foam to protect and relieve pressure on patient limbs Better infection control - SECURE-LOCK straps are designed from durable plastic to improve infection control Curved support spar that eliminates dangerous pinch hazards Lithotomy range of motion from -55 to +85 degree - 140 degree lithotomy range of motion The unique patend pending design provides 22 degree more lithotomy range of motion than traditional stirrups Patient weight capacity: 400 lbs (181 kg)	KTEK7100	11 380
KYRA Pediatrics - KYRA Comfort Junior Stirrups The KYRA 250 is a junior stirrup designed for patients aged 6-12 years old but also effective in smaller/lighter adults weighing up to 250 lbs/113 kg. Equipped with easy to clean durable silicone straps. The non-finned boot has 3" of supportive boot padding and larger ankle well for more secure fit. Lithotomy Range: +85° to -55° Abduction Range: +25° to -9° Boot Rotational Angle: +/-25° KYRA 250 stirrup weight: 10.2 lbs/4.6 kg each	KTEK 7810	11 380

	Secure Release Blade Clamp EU Mounts anywhere on the table rail in one easy motion. Requires no awkward hand motions. Simply push the clamp against the side rail to place it. Push the release button to release the clamps. Mounts any blade accessory.	KTEK 4200	790
	Select Blade Rail Clamp EU/UK	KTEK 4610	540
NEXTRA STATE	Simple Blade Rail Clamp EU/UK	KTEK 4710	350
Jan Stranger	KTEK Gray Stirrup Cart Easy to push or pull Premium casters helps it stay "on track" reducing stress and strain Designed to isolate each stirrup and prevent damage during transport Ergonomic handle with polished stainless steel tubes eliminates sharp edges Holds most stirrups With clamp storage compartment Cart dimensions: 22" (56cm) W x 23" (58cm) D x 42" (107cm) H - without stirrups 26" (66cm) W x 26" (66cm) D x 49" (124cm) H - with stirrups	KTEK 1000	1 890
	Gynaecological attachment (1 pce) concerns operating table SU-14	WS-28.7	330
	Gyneacological attachment mounted on the rail	WS-28.9	290
	Urological attachment (1 pce) concerns operating table SU-14	WS-29.7	290
	Urological attachment	WS-28.9	390

	Strainer for urological bowl WS-89.5 (1 pce)	WS-89.5	250
N-Vie	Bag holder WS-92.5 (1 pce) + WS-16.5 (1 pce)	WS-92.5	130
	Kneeling frame (1 pce) + WS-17.6 (2 pcs) concerns operating table SU-14	AS-23.0	735
	Orthopaedics / Traumatology		
	Upper limbs surgery positioner WS-87.5 (1 pce)	WS-87.5	190
	Attachment for backward nailing WS-95.5 (1 pce)	WS-95.5	300
The second	Attachment for the leg abduction WS-96.5 (1 pce) + WS-17.6 (1 pce)	WS-96.5	720
	Attachment for positioning the knee joint (1 pce) + WS-17.7 (1 pce)	WS-39.5	690
	Attachment for positioning the knee joint (1 pce) + WS-17.7 (1 pce)	AS-14.0	790

Laryngology / Ophthalmology		
Horseshoe headrest WS-21.11 (1 pce) /for SU-02, SU-03, SU-05 obligatory add WS-84.7, for HYPERION WS-84.8 and for FAMED OPTIMA SU-05.15 WS-84.4/	WS-21.11	600
Hands support WS-22.5 (1 pce) + WS-17.6 (2 pcs)	WS-22.5	500
Headrest for cervical spine surgery (1 pce)	WS-21.8	1 350
FlexArm <sup>™</sup> arm with headrest	AS-70.2	1 820
Handle/Traction pulley (1 pce)	WS-88.5	250