



**MOMENTUM** is designed for rehabilitate, treat and transport patients within and between departments in healthcare facilities. **MOMENTUM** offers unrivaled full-length X-ray capacity; radiolucent patient surface allows clear imaging without repositioning the patient. In order to provide maximum patient comfort, wide mattress base can be adjusted in different positions; including height, backrest and legrest adjustment. Smooth-running casters guarantee complete mobility and maneuverability thanks to retractable 5th castor. Ergonomic pushing handles and central brake activation pedals on both head and foot side enhance the ease of use. The sub-frame ABS cover ensures the easy cleaning that also include integrated oxygen cylinder holder and storage place for patient belongings.



*Height Adjustment (Low)*



*Height Adjustment (High)*



*Trendelenburg Position*



*Reverse Trendelenburg Position*



*Foldable Side Rails*



*Dual deck HPL radio-translucent mattress platform*



*Retractable 5th castor for perfect maneuverability*

- Hydraulic height adjustment supported with columns
- Height adjustment pedals on both sides
- 3 sections mattress surface
- Trendelenburg and Reverse Trendelenburg positions
- Backrest and legrest adjustment assisted by gas spring
- Foam mattress with Removable, anti-static and fire-retardant, waterproof and compatible with the size of the stretcher, 8 cm mattress thickness
- Full-length dual deck HPL radio-translucent mattress platform allows X-Ray filming all over the stretcher.
- Oxygen tank holder (12 liters)
- Full-length foldable and lockable side rails. Easy storable under the mattress providing minimum transfer gap.
- Foldable PU Pushing handles provide easy maneuverability
- Electrostatic powder (epoxy) coated main frame
- ABS sub-frame cover ensure maximum sterilization
- Dual functional pedal for central and directional lock at head and foot sides
- Height adjustable and foldable stainless steel IV Pole
- Urine bag hanger hooks
- Anti-static and anti-tracing, 360° Swivel castors
- 200mm Castors with central braking mechanism and steer control
- 125 mm dia. 5<sup>th</sup> Wheel for easy maneuverability (optional)
- Paper Roll hanger (optional)
- Patient safety belt (optional)
- Monitor Shelf (optional)
- Viscoelastic Mattress (optional)

<b>TECHNICAL DETAILS</b>	
Length:	205 cm
Width:	85 cm
Backrest angle:	0°-70°
Legrest Angle:	0°-40°
TR/RTR angle:	0°-16°
Height range (without mattress):	65-95 cm
Castor diameter:	20 cm
5 <sup>th</sup> Castor diameter (optional):	12.5 cm
Mattress surface:	62.5x190 cm
Mattress thickness:	8 cm
Safe working load capacity:	250 kg