



Tosoh Automated Glycohemoglobin Analyzer **HLC-723G8** ß-Thalassaemia Analysis Mode

TOSOH BIOSCIENCE

Pathology

The inherited haemoglobin disorders (aka haemoglobinopathies) are the world's most common diseases attributable to single gene defects. An estimated 7 % of our global population is a carrier and each year 300,000 to 500,000 babies are born with severe forms of such disorders (WHO 1989). Although these disorders are most frequently encountered in tropical regions, migration of populations has lead to global spread, and these disorders are now found in most countries.¹

Haemoglobinopathies fall into two main groups: (1) structural haemoglobin variants, caused by an alteration in the globin protein structure, and (2) thalassaemias, caused by defective haemoglobin chain production.^{1,2}

Many haemoglobinopathies are of no clinical significance whereas others are associated with severe morbidity and mortality. Today, no cure exists for these severe haemoglobinopathies, with exception for a few patients that can obtain a bone marrow transplant. Thus, the major approaches to control, reduce and manage these diseases are population screening, genetic counselling and prenatal diagnosis, and management of the symptoms.¹



The diagnostic service

The diagnosis of inherited haemoglobin disorders requires a combination of techniques. One of the techniques used for the detection and quantification of haemoglobins F and A_2 , as well as the detection of abnormal haemoglobins, is High Performance Liquid Chromatography (HPLC). For correct interpretation of the results obtained using HPLC, it is essential to know the age of the patient, the ethnic origin, the red cell indices and the clinical features, if any.²

With over 35 years of world leading HPLC experience, Tosoh's ion exchange HPLC offers highly reliable and precise quantification and detection of haemoglobins F and A₂ and allows the detection of a wide range of abnormal haemoglobins.

Tosoh Automated Glycohemoglobin Analyzer HLC-723G8: premium HPLC Evolution.

REFERENCES 1. David Weatherall, Olu Akinyanju, Suthat Fucharoen, Nancy Olivieri, and Philip Musgrove, "Inherited Disorders of Hemoglobin." 2006. Disease Control Priorities in Developing Countries (2nd Edition), ed., 663-680. New York: Oxford University Press. DOI: 10.1596/978-0-821-36179-5/Chpt-34. 2. Barbara J. Bain, "Haemoglobinopathy Diagnosis" 2nd edition 2006, Blackwell Science. ISBN 1-4051-3516-6.

The G8 offers you reliability, precision and ease-of-use.

- HbF and HbA, results obtained in 6 minutes.
- Simple finger tight connectors permit quick, convenient and easy replacement of columns and pre-filters.
- Automated daily maintenance.
- Optional integration to Tosoh Europe N.V. PIANO-software allows full data management ٠ capabilities including Levey-Jennings charts and chromatogram library.
- Highly reliable and precise measurement of haemoglobins F and A₂.

	Intra-Assay precision					
N = 10	Mean HbA ₂ (%)	SD	CV (%)	Mean HbF (%)	SD	CV (%)
Normal	2.81	0.01	0.42	0.41	0.01	2.43
ß-Thalassaemia Trait	6.48	0.03	0.50	5.60	0.02	0.43

	Inter-Assay precision					
N = 15	Mean HbA ₂ (%)	SD	CV (%)	Mean HbF (%)	SD	CV (%)
Normal	2.84	0.05	1.62	0.40	0.004	0.91
ß-Thalassaemia Trait	6.55	0.10	1.49	5.57	0.03	0.57

Source: Evaluation data obtained by Lenters E. and Slingerland R. in the Isala Klinieken Locatie Weezenlanden, Zwolle, The Netherlands.

The G8 offers best-in-class chromatographic separation.

- The unique TSKgel column dedicated for HbF and HbA₂ measurement ensures high quality results with excellent separation capabilities.
- A highly developed flag check function allows easy programming of user-selectable levels to ensure easy interpretation of results with increased security.

Normal * THALASSEMIA REPORT * 2008/06/05 12:43 TOSOH CORPORATION V03.00 N0: 0024 SL 0001 - 02 ID: 0001 - 02 CALIB F Y= 0.9491X A2 Y= 1.4212X TP 1405 AREA 4.60 2358.48 55.01 NAME % TIME % 0.15 83.57 2.55 0.00 0.00 0.00 0.68 2.34 2.99 F A0 A2 D+ S+ C+ 0.00 0.00 0.00 0.00 0.00 0.00 2822.22 TOTAL AREA F : A2 : 0.15%2.55% 0.0**T** 1.0 2.0 3.0 4.0 5.0 _{6.0}]| 0.95 0.96 0.30 1.18 6.47 3.28 0.19 0.28 0.49 0.89 1.12 1.87 2.07 3.81 P00 P01 P02 P03 P04 P05 P06 P07 P08 P09 P10 26.89 27.19 8.47 5.20 182.46 92.65 5.49 11.11 12.78 13.97 17.91 0.19 0.39 0.45 0.50 0.63 3.81 4.01 4.20 4.61 4.96

ß-Thalassaemia Trait * THALASSEMIA REPORT * 2008/05/27 15:26 TOSOH CORPORATION V03.00 N0: 0051 SL 0001 - 01 ID: 0001 - 01 CALIB F Y= 0.9491X A2 Y= 1.4212X ТΡ 1484 % 0.77 76.91 5.64 0.00 0.00 AREA 26.76 2545.48 130.05 0.00 0.00 TIME 0.73 2.31 2.99 0.00 0.00 0.00 NAME F A0 A2 D+ S+ C+ 0.00 TOTAL AREA 0.00 3309.63 F : A2 : 0.77% 5.64% ^{0.0}I₽ 1.0 2.0 3.0 4.0 5.0 6.0L P00 P01 P02 P03 P04 P05 P06 P07 P08 P09 P10 P11 P12 30.75 28.45 20.36 41.60 269.00 140.51 6.20 15.03 16.93 17.17 5.19 2.96 6.04 7.15 0.93 0.86 0.62 1.26 8.13 4.25 0.19 0.45 0.51 0.52 0.16 0.09 0.18 0.22 $\begin{array}{c} 0.33\\ 0.49\\ 0.89\\ 1.48\\ 1.86\\ 2.08\\ 3.81\\ 4.02\\ 4.22\\ 4.61\\ 4.99\\ 5.16\\ 5.32\\ 5.52\end{array}$ P13

HbS trait

* THALASSEMIA REPORT *

TP 1581

NAME

A0 A2 D+ S+ C+

^{0.0}TE

1.0

2.0

3.0

4.0

5.0

_{6.0}[]

P00 P01 P02 P03 P04 P05 P06

P07 P08

P09 P10

P11

ME % 1.71 47.15 3.36 0.00 30.27 0.00 TOTAL AREA

F : A2 :

0.55 0.29 1.09 5.56 2.11 1.25 4.26

1.41 1.02 0.22 0.27

0.30

 $\begin{array}{c} 0.23\\ 0.34\\ 0.49\\ 1.85\\ 1.96\\ 2.07\\ 2.63\\ 3.81\\ 4.09\\ 4.72\\ 5.05\\ 5.28\end{array}$

2008/05/27 15:03 TOSOH CORPORATION V03.00 N0: 0047 SL 0002 - 06 ID: 0002 - 06 CALIB F Y= 0.9491X A2 Y= 1.4212X

 TIME
 AREA

 0.80
 86.44

 2.31
 2268.10

 2.97
 118.67

 0.00
 0.00

 4.27
 1455.84

 0.00
 0.00

 4.27
 1455.84

 0.00
 4809.93

1.71% 3.36%

26.38 13.82 52.39 267.34 101.63 59.98 204.94

67.75 49.15 10.36 12.75 14.39 **HbSC** disease

* TH/	LASSEM	IA REPOR	ат *
TOSOF NO: 0 ID: 0 CALIB	20 I CORPO	08/05/2 RATION 0002 - ()	7 10:24 V03.00
TP	0		
NAME F A0 A2 D+ S+ C+ TO	% 3.09 0.22 3.60 0.00 41.71 45.04 TAL ARE	4.97	AREA 127.60 8.68 102.74 0.00 1634.78 1765.07 3919.00
Д	F : 2 :	3.09 3.60)%)%
0.0 1.0 2.0 3.0 4.0 5.0 6.0	-	+	
P00 P01 P02 P03 P04 P05 P06 P07 P08 P09	0.37 0.70 0.15 0.48 0.19 2.43 0.43 1.21 0.89 0.29	0.22 0.47 1.79 1.95 2.28 2.66 3.81 4.09 4.70 5.67	14.48 27.35 5.86 18.75 7.55 95.41 17.03 47.49 34.80 11.40



EC REP TOSOH EUROPE N.V.

Transportstraat 4 3980 Tessenderlo - BELGIUM Tel : +32 (0)13 66 88 30 Fax : +32 (0)13 66 47 49 www.tosohbioscience.eu

TOSOH BIOSCIENCE LTD

The Business Centre Edward Street, Redditch Worcestershire B97 6HA - UK Tel : +44 (0)1527 592901 Fax : +44 (0)1527 592902 www.tosohbioscience.eu

TOSOH CORPORATION BIOSCIENCE DIVISION

A 4 4

Shiba-Koen First Bldg. 3-8-2, Shiba, Minato-ku, Tokyo 105-8623 - JAPAN Tel : +81-3-5427-5181 Fax : +81-3-5427-5220 www.tosoh.com