

# CELTA ST

**CODE:** 51 CD CE 2 NO 43 EM



- Steel manual wheelchair with attractive and robust design
- Suitable for users with a general decrease in mobility
- Structure with triple cross that allows the chair to be foldable for easy storage
- Seat widths of 370, 400, 430 and 460 mm
- Detachable, folding and height-adjustable footrests
- Folding thermoplastic footrest

- Folding armrests for easy transfers
- 600 mm rear wheels with aluminium rim and quick release. Pneumatic or solid wheels and nylon or spoked rims
- 200 mm solid front wheels
- Option of 200x50 mm pneumatic front wheels
- Transit model with 300 mm rear wheels, pneumatic or solid

# CELTA ST

Collapsible frame with triple cross



## CELTA TRANSIT ST

REFERENCE: 51 CD CE 2 AE 43 AM

300 mm rear wheels, solid or pneumatic

Thermoplastic parking brake

# CELTA ST

## TECHNICAL DATA

	CELTA ST	CELTA TRANSIT ST
SEAT WIDTH	370/ 400/ 430 /460/ 500 mm	370/ 400/ 430 /460/ 500 mm
TOTAL WIDTH	560/ 590/ 620/ 650/ 700 mm	490/ 520/ 550/ 580/ 610 mm
TOTAL WIDTH CLOSED	280 mm	270 mm
TOTAL HEIGHT	920 mm	935 mm
SEAT HEIGHT	510 mm	515 mm
BACKREST HEIGHT	410 mm	410 mm
ARMREST HEIGHT	720 mm	730 mm
TOTAL DEPTH	1005 mm	960 mm
TOTAL DEPTH (without footrest)	765 mm	725 mm
SEAT DEPTH	420 mm	420 mm
REAR WHEELS	600 mm Pneumatic / Soft Split rim/nylon	300 mm Pneumatic/Soft
FRONT WHEELS	200x30 mm (solid) Option of 200x50 mm wheels (pneumatic)	200 mm (solid) Option of 200x50 mm wheels (pneumatic)
COLOUR FRAME   UPHOLSTERY	Grey   Black	Grey   Black
TOTAL WEIGHT CHAIR (w/o removable components)	From 10,8 kg	From 13 kg
TOTAL CHAIR WEIGHT	From 16,1 kg	From 14,6 kg
MAXIMUM USER WEIGHT	150 kg	150 kg
BOX DIMENSIONS (LxWxH)	800 x 300 x 945 mm	800 x 300 x 945 mm
BOX WEIGHT	2,4 kg	2,4 kg

Tolerance ±10 mm; ±1 kg  
Updated in 08/2025

### ADDRESS

R. Nossa Sra. de Fátima nº 1360  
União de Freguesias de Briteiros Sta. Leocádia e  
S. Salvador, 4805-449 - Guimarães - Portugal

### CONTACTS

Telephone: + 351 912 545 001  
E-mail: [export@orthosxi.com](mailto:export@orthosxi.com)  
[exportcommercial@orthosxi.com](mailto:exportcommercial@orthosxi.com)



**NOTE:** in case of divergence between text and image, prevails the information described in the text. For continuous improvement, Orthos XXI reserves the right to make changes to its products without prior notice.