

TUPI


CODE: 53 CD PO TU 37



- Rigid Chassis for use with multiple positioning systems
- Steel frame, stable and robust
- Available with various seat and backrest interfaces, with various adjustment options
- With weighbridge up to 35°, easy to actuate with gas pumps. Helps distribute user pressure
- Height-adjustable handles

- Manual back recline for greater comfort.
- Folding back
- Armrests adjustable in height and depth, with various cushion options
- Footrest adjustable in height and angle
- Anti-tip wheels
- 300 mm rear and 200 mm front wheels
- Maximum user weight 150 kg

TUPI



TECHNICAL DATA

SEAT WIDTH	310, 340 and 370 mm
SEAT DEPTH	350 to 400 mm
SEAT HEIGHT	400 or 425 mm
BACKREST HEIGHT	470 to 550 mm
HANDLE HEIGHT	1060 to 1160 mm
OVERALL WIDTH	500 mm
TOTAL DEPTH	1010 mm
TIILT	0° to 35°
BACK RECLINE	90° to 127,5°
WHEELS (FRONT REAR)	200 mm/ 300 or 400 mm
MAXIMUM USER WEIGHT	100 kg
TOTAL CHAIR WEIGHT	25 kg
FRAME COLOUR	Green Water

Tolerance: ±10 mm; ±1°; ±1 kg
Updated in 08/2025

Siège: 27, Old Gloucester Street, LONDON, WC1N 3AX, (UK) - Tél. +44 20 3398 1339
Bureaux: 15 rue de la Garenne 27950 Saint-Marcel (France) Tél. +33 1 87 66 35 60
Turnkey Supplier <https://ibsgroupe.com> – Email: dircom@ibsgroupe.com



NOTE: in case of divergence between text and image, prevails the information described in the text. For continuous improvement, Orthos XXI reserves the right to make changes to its products without prior notice.