

VIKING CLASSIC V500 MI FOTO



CODE: 53 CD EL VK CL 34

- Electric children's wheelchair with steel frame
- Designed for indoor and outdoor use
- With manual tilting of 3° and 6°
- Back reclination manually from 90° to 115°
- Height-adjustable rigid backrest and breathable 3D Tension Back straps
- Rigid seat adjustable in width (via armrests), depth and height, with Comfort Seat 3D cushion
- 100 mm height adjustable handles
- Detachable footrests, foldable and adjustable in height and width

- T-shaped armrests adjustable in height, width and depth, with large PU cushion
- With two 200W motors
- With two 12V 50 Ah AGM lead batteries
- Maximum speed of 6 km/h
- 300 mm pneumatic rear wheels and 200 mm solid front wheels
- Height-adjustable and removable anti-tip wheels
- Joystick VR2 JSM
- Many accessory options available on request
- Maximum user weight 100kg

VIKING CLASSIC V500 MI



ACCESSORIES



Various headrests available



Acrylic tray (also available in wood)

Trunk support with swing away



Various trunk vest and pelvic belts available



VIKING CLASSIC V500 MI

TECHNICAL DATA

V500	
SEAT WIDTH	340 to 400 mm
SEAT DEPTH	350 to 400 mm
SEAT HEIGHT	450 a 490 mm (20 mm increment)
BACKREST HEIGHT	470 to 550 mm
HANDLE HEIGHT	1020 to 1120 mm
TOTAL WIDTH	540 mm
TOTAL DEPTH	940 mm
TLTING (MANUAL)	3° and 6°
RECLINATION (MANUAL)	90°, 100°, 110° and 115°
MOTORS	2 x 200 W
BATTERIES	2 x AGM 12V 50Ah
SPEED	6 km/h (Front) 3 km/h (Rear)
WHEELS (FRONT REAR)	300 mm (Pneumatic) 200 mm (Solid)
MAXIMUM USER WEIGHT	100 kg
TOTAL CHAIR WEIGHT	95 kg
TOTAL WEIGHT CHAIR (without removable components)	
UPHOLSTERY COLOUR	Black
FRAME COLOUR	Water green
BOX DIMENSIONS (LxWxH)	900 x 650 x 800 mm

Tolerance: ±10 mm; ±1°; ±1 kg

Updated in 08/2025

Turnkey Supplier

Siège: 27, Old Gloucester Street, LONDON, WC1N 3AX, (UK) - Tél. +44 20 3398 1339

Bureaux: 15 rue de la Garenne 27950 Saint-Marcel (France) Tél. +33 1 87 66 35 60

<https://ibsgroupe.com> – Email: dircom@ibsgroupe.com



NOTE: in case of divergence between text and image, prevails the information described in the text. For continuous improvement, Orthos XXI reserves the right to make changes to its products without prior notice.